



## **Pre and Post Test Training Questions**

### **Narcan/Naloxone is used for:**

1. Helping someone get off drugs
2. Bringing someone back from a cocaine overdose.
3. Bringing someone back from a heroin or methadone overdose
4. None of the above.

### **Your risk of overdose increases when you:**

1. Use Heroin or Methadone together with alcohol or benzos (pills like Xanax, Valium, Klonopin, Ativan)
2. Use after getting out of a place where you couldn't use at all such as jail or a drug treatment program.
3. Use a stronger (more pure) product than usual
4. Any of the above.

### **You can tell when someone's overdosing (not just really high) when:**

1. They don't respond to loud calls, shaking their shoulder or grinding a fist hard into their sternum
2. Their lips and nail beds look blue
3. They emit a deep gurgling sound
4. Any of the above

### **Which one of these methods is a good way to deal with a person who is overdosing?**

1. Put the person in a cold bath
2. Hit them hard to shock them awake
3. Do rescue breathing and call 911
4. Inject them with speed, salt water or milk

### **Injecting Naloxone can reverse a cocaine overdose:**

1. True
2. False

### **Naloxone should be injected:**

1. Under the skin
2. Into the stomach
3. Into a big muscle like the upper arm, butt, calf
4. Into a vein

**After you inject the Naloxone, it is important to:**

1. Continue rescue breathing until help arrives or the person revives
2. Call 911 or make sure someone does
3. Stay with the person or make sure someone does
4. All of the above

**If the first dose of Naloxone doesn't work within 3 minutes, you can try another dose:**

1. True
2. False

**An overdose can outlast a dose of Naloxone, so after the person revives, someone needs to stay with them for at least an hour to make sure they don't slip back into an overdose:**

1. True
2. False

**You can't overdose on Naloxone/Narcan:**

1. True
2. False

**Naloxone/Narcan is a scheduled drug:**

1. True
2. False